

Product datasheetP RF CLAS B 2.5 W/827 E14

PARATHOM Retrofit CLASSIC B | LED lamps, classic mini-candle shape







Product datasheet

Technical data

Electrical data

Operating frequency	5060 Hz
Nominal current	19 mA
Claimed equiv. conventional lamp power	25 W


Photometrical data

Light color (designation)	Warm White
Luminous flux	250 lm

Light technical data

Beam angle	300 °

Dimensions & weight



Overall length	100.00 mm
Product weight	16.00 g

Temperatures & operating conditions

Ambient temperature range	-20+40 °C

Lifespan

Lumen maintenance at end of service life	0.7
--	-----

Additional product data

Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Frosted
Appropriate disposal acc. to WEEE	Yes

Product datasheet

Product remark	All technical parameters apply to the entire lamp Due to the complex production process for light- emitting diodes, the typical values shown for the technical LED parameters are purely statistical values
	that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value LED lamps contain several electronic components. Under unfavourable conditions these can lead to acoustic noise. In case of resonance even low noise can cause audible effect. Possible factors influencing this are the installation, the design of the lamp holder and the luminaire (acoustic resonance effect) as well as the dimmer or the transformer (harmonics or electronic resonance)

Certificates & standards

Energy efficiency class	F
Energy consumption	3.00 kWh/1000h

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 18-04-2022				
Primary Article Identifier	4058075287662 4058075590519			
Declaration No. in SCIP database	In work			

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075287662	P RF CLAS B 2.5 W/827 E14	Shipping carton box 10 Pieces Folding carton box	205 mm x 87 mm x 123 mm	2.19 dm³	348.00 g
4058075590519	P RF CLAS B 2.5 W/827 E14	Shipping carton box 10 Pieces Folding carton box	205 mm x 87 mm x 123 mm	2.19 dm³	298.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS



OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany