

CorePro LEDbulb

CorePro LEDbulb 9.5-60W 830 E27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.



Product data

General Information

Cap-Base	
Bulb Shape	
Nominal Lifetime	
(Nom)	
Switching Cycle	
Technical Type	

806 İm

• Light Technical

Color Code
Luminous Flux
(Nom)
Luminous Flux
(Rated) (Nom)
Color Designation
Correlated Color
Temperature (Nom)
Luminous Efficacy
(rated) (Nom)
Color Consistency
Color Rendering
Index (Nom)
LLMF At End Of
Nominal Lifetime
(Nom)

• Operating and Electrical

Input Frequency Power (Rated)	50 to 60 Hz 9.5 W
(Nom)	
Lamp Current (Nom)	80 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm Up Time To	instant full light
60% Light (Nom)	

Dimensional drawing



E27 [E27] A60 [A 60mm] 15000 h	
50000X 9.5-60W	
830 [CCT of 3000K]	

806 lm White (WH) 3000 K

84.84 lm/W <6 80 70 %

• Temperature 85 °C T-Case Maximum (Nom) Controls and Dimming Dimmable No

Power Factor (Nom) Voltage (Nom)

0.5 220-240 ∨

 Mechanical and Housing Bulb Finish Frosted

• Approval and Application

Suitable For Accent No Lighting Energy Efficiency Label (EEL) Energy Consumption kWh/1000 h A+ 10 kWh

• Product Data

871869649754800
CorePro LEDbulb 9.5-60W 830 E27
8718696497548
929001162202
1
10
929001162202
0.076 kg

LED 9.5-60W E27 830

Product	D	С
CorePro LEDbulb 9.5-60W 830 E27	61 mm	110 mm

2016, March 4 data subject to change

Dimensional drawing



Photometric data





© 2016 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting